

January 27, 1982

Mr. Ed Hughes Nixdorff-Lloyd Chain Company 2500 East 1st Street Maryville, MO 64468

Dear Mr. Hughes:

Enclosed please find a copy of the Resource Conservation and Recovery Act Compliance Inspection Report for your facility. In addition to the recommendations of the inspection report the following item must be complied with. As of November 19, 1981, all owners or operators of hazardous waste management facilities with surface impoundments are required under 10 CSR 25-7.011(1)(D) and 40 CFR 265 subpart F to implement a ground water monitoring program capable of determining the facilities impact on the quality of the groundwater. Please provide this office with a groundwater monitoring plan by April 1, 1982. Documentation that the other violations have been corrected should also be provided to this office and the Kansas City Regional Office by April 1, 1982. A reinspection will be conducted in the near future.

If you have any questions or if we can be of assistance to you, don't hesitate to contact either the regional office or Mr. Paul Meiburger of this office. TALKED TO PAUL ON WED, Fix 3, 82. HE Suggestion Pale The SOVI PRINTING OFFICE BOOK STORE IN KANSAS CITY. THOUSE 816-374-2161 FOR THE PURLICATIONS NEEDED. IF WE HELD CALL HIM OR VIC GO-SWAMY FOR HELD.

Sincerely,

David E. Bedan, Ph.D.

Director

Waste Management Program

DEB/PM/bki

Enclosures

cc: Kansas City Regional Office

U.S. EPA Region VII Enforcement Branch

R00342876

CALLED DR JIM WILLIAMS GeologIST,

HIS PhoNE IS 314-364-1752

AT THE EPA OFFICE IN ROLLA. WED, FEB 17, HE WAS NOT IN.

RCRA RECORDS CENTER


Christopher S. Bond Governor Fred A. Lafser Director

Division of Environmental Quality Robert J. Schreiber Jr., P.E. Director

MISSOURI DEPARTMENT OF NATURAL RESOURCES (314) 751-3241

1915 Southridge Drive

P.O.



January 27, 1982

Mr. Ed Hughes Nixdorff-Lloyd Chain Company 2500 East 1st Street Maryville, MO 64468

Dear Mr. Hughes:

Enclosed please find a copy of the Resource Conservation and Recovery Act Compliance Inspection Report for your facility. In addition to the recommendations of the inspection report the following item must be complied with. As of November 19, 1981, all owners or operators of hazardous waste management facilities with surface impoundments are required under 10 CSR 25-7.011(1)(D) and 40 CFR 265 subpart F to implement a ground water monitoring program capable of determining the facilities impact on the quality of the groundwater. Please provide this office with a groundwater monitoring plan by April 1, 1982. Documentation that the other violations have been corrected should also be provided to this office and the Kansas City Regional Office by April 1, 1982. A reinspection will be conducted in the near future.

If you have any questions or if we can be of assistance to you, don't hesitate to contact either the regional office or Mr. Paul Meiburger of this office.

Sincerely,

David E. Bedan, Ph.D.

Director


Waste Management Program

DEB/PM/bki

Enclosures

cc: Kansas City Regional Office

U.S. EPA Region VII Enforcement Branch



3.600 Nodaway County Nixdorff-Lloyd Chain Company



NOV 1 3 1931

SOLID WASTE MANAGEMENT PROGRAM

November 9, 1981

### RCRA COMPLIANCE INSPECTION REPORT

## FACILITY

Nixdorff-Lloyd Chain Company 2500 East 1st Street Maryville, Missouri 64468 (314) 421-2676

MO Generator ID#: 01515
MO Transporter ID#: None

EPA ID#: MOD099238784

#### INTRODUCTION

On August 31, 1981 Gene Holcomb and Mark Puett went to the Nixdorff-Lloyd Chain Company for an inspection under the Resource Conservation and Recovery Act of 1976. We were greeted by Mr. Ed Hughes of this company.

Nixdorff-Lloyd Chain Company produces bulk chain from pickled and drawn wire. The end product is hardware chain, automobile and truck tire chain. The product can be shipped as manufactured, or may be zinc electroplated.

The waste products from these processes are all spent solutions that have either got too dirty or have lost their cleaning ability. These wastes are spent pickle liquor (K062), 1.3 million pounds per year, electroplating bath sludge (F008), 500 pounds per year and the stripping and cleaning solutions from the electroplating process (F009), 13,250 pounds per year. All of these spent solutions are disposed of on site in a surface impoundment with a capacity of 683,000 gallons.

# UNSATISFACTORY FEATURES

- The generator does not have an established contingency plan to deal with emergencies that may impact hazardous waste currently in storage at the facility.
- 2.) The generator's personnel have not completed a training program in hazardous waste management procedures.

**Christopher S. Bond** Governor **Fred A. Lafser** Director Kansas City Regional Office

RCRA COMPLIANCE INSPECTION REPORT 3.600 Nodaway County
Nixdorff-Lloyd Chain Company

November 9, 1981 Page 2 of 3

- 3.) Job titles and a written description for each job title were not being used at the generator's facility.
- 4.) The facility does not have available a waste analysis plan.
- 5.) The facility does not keep a written inspection log and a written schedule for inspecting hazardous waste facilities and equipment.
- 6.) The facility does not have a written closure plan.
- 7.) There was evidence of leakage or overflow of the surface impoundment.
- 8.) The facility does not have restricted access signs posted at each entrance of the lagoon.

### COMMENTS

This facility was very deficient in paper work concerning hazardous waste. All of these written documents should be prepared as soon as possible to be in compliance with the Resource Conservation and Recovery Act of 1976.

The surface impoundment had evidence of some leakage down a surface water course. There was no evidence of cracks in the surface impoundment, so it is assumed that the surface impoundment overflowed at some point in time.

The surface impoundment had a limited access fence around it, but did not have adequate restricted access signs posted at each entrance to the active portion of the facility.

### RECOMMENDATIONS

- 1.) The Federal Register of May 19, 1980, 40 CFR 264 Subpart D states that each owner must have a contingency plan for his facility.
- 2.) 40 CFR 265.16 of the Federal Register requires a program of classroom instruction or on-the-job training teaching hazardous waste management procedures. Also, in this section, it requires job titles and a written description for each job title.
- 3.) 40 CFR 265.13 requires a general waste analysis plan for the facility.
- 4.) General inspection requirements including a written inspection log and a schedule for inspection is covered in 40 CFR 265.15.
- 5.) 40 CFR 265 Subpart G gives the requirements for closure plans for disposal facilities.
- 6.) Special precautions must be observed with the surface impoundment to prohibit any failures in this structure.
- 7.) Requirements for posting of signs on the fences of hazardous waste facilities is in 10 CFR 265.14.

RCRA COMPLIANCE INSPECTION REPORT 3.600 Nodaway County Nixdorff-Lloyd Chain Company

November 9, 1981 Page 3 of 3

These deficiencies should be corrected by April 1, 1982. If they are prepared before this time, please send copies to this office.

REPORT BY:

APPROVED BY:

Mark Puett

Environmental Engineer

William E. Hills

Regional Administrator

cci Central office, Swmp

	KURA CHECKLIST FOR INSPECTION OF GENERATORS	RO USE
No.	Name of Facility: Name of Faci	Inspection file
J. Tunk	Mary ville Mo 64468	No.
	EPA Generator ID Number: MODO 99738784	Date reviewed:
	Facility Inspection Representative: Ed Hughes	Form "A"
	Title: <u>Mech</u> , <u>Dest</u> ,  Telephone Number: <u>314 421 2676</u>	
ert. Regs. 0 C.F.R. art:	1. Please provide a brief narrative explaining the type of work that occurs at the generator.	activity
	This plant produces bulk of From pickled & drawn	chain
	From pickled & drawn	wone.
	2. Does the generator dispose of its wastes	
	Circle one or both) B. Off-site	
	Note: if on-site, then checklist for both a generator and facility must be completed if on-site more than 90	TSD days.
	3. What is the amount of hazardous waste (in kilograms) produced generator facility in a month? 50,000 kg/min a year? (If the amount is less than 1,000 kg/month, then the facility qualifies as a small generator and Form C should be completed of Form A.)	V
	4. What categories of hazardous wastes result from the generator facility? Please circle:	·'s
)	A. Ignitable wastes	Yes (No)
	B. Reactive wastes	Yes (No)
	C. Corrosive wastes  D. EP Toxic wastes	Yes No
	P DCDA Tinana II.	Yes No

: 5.	Is the generator presently	Circ	le one
	A. Treating hazardous waste?	Yes	No
	B. Storing hazardous waste?	Yes	Nc
	C. Disposing hazardous waste?	(Yes)	No
	Note: if the generator performs any of the activities noted in Question 5, then the inspector must complete Form B, entitled "RCRA Checklist for inspection of hazardous waste treatment, storage and disposal facilities."	Yes	No
6.	Is a manifest system currently in operation at the generator's facility so that offsite shipment of hazardous wastes can be tracked?	100	
7.	Please inspect the generator's manifest for the following information:		٠
	A. Is the TSD facility which receives a generator's hazardous waste identified by name, address, and EPA ID number?	Yes	Nc
	E. Is an alternative facility designated in case of an emergency?	Yes	No
	C Is a serialized manifest document number included on the form?	Yes	No
	Is the generator's name, address, telephone number and EPA ID number included on the form?	Yes	Кo
	E. Is the name and identification number of each transporter included on the form?	Yes	No
#27 27	F. Is a description of the generator's hazardous waste to be treated, stored, or disposed included on the manifest?	Yes	No
2 2 7	G. Is the quantity of each waste by units of weight or volume and the type and number of containers loaded in the transport vehicle included on the manifest form?	Yes	110
	H. Is the following certification noted on the generator's manifest form and is the certification acknowledged by the generator's signature?		
	"This is to certify that the above-named materials are properly classified, described, packaged, marked, and labeled and are in proper condition for transportation according to the available regulations of the DOT and EPA."	Yes	No
	I. Are there adequate copies of the manifest available for generator, transporter, and TSD's?	Yes	No
8.	Is hezardous waste being stored on-site by the generator for less than 90 days?  Not 5 To 160.	Yes	No
	A. Is the date accumulation of waste began clearly marked on each storage container?	Yes	No

. 20

.20(c)

.20(a) (2)

.20(a) (3)

.22

.34(a) (3)

C

, i				
34(a)(2)		B. Are storage containers in good condition, i.e., no		
.34(a)(4)		corrosion, leaking, or structural deformations?	Yes	No
.34(a)(4)		C. At the time of accumulation, are the storage containers clearly labeled as containing a particular hazardous waste in accordance with DOT regulations?	Yes	No
. *	9.	Does the generator have an established contingency plan to deal with emergencies that may impact hazardous waste currently in storage at the facility?	Yes	No
.16(a)	10.	Have facility personnel successfully completed a program of classroom training or on-the-job training in hazardous waste management procedures?	Yes	No
.16(d)	11.	Does the generator facility maintain a record of job titles for personnel that are involved with hazardous waste management and the name of the employee filling each job?	Yes	No
.16(d)(2)	12.	Does the generator facility have on record a written position description for each jcb title noted in Question #11?	Yes	No
.16(d)(3)	13.	Does the facility presently maintain a written description of the type and amount of introductory and continuing training for those employees noted in Question #11?	~ Yes	No
.32(a)	14.	*Does the generator facility have installed the following equipment:		
		A. An internal communications or alarm system capable of providing immediate emergency instructions to facility personnel if the hazardous waste storage area is threatened by fire or explosion?	Yes	No
		B. A device at the scene of hazardous waste generator operations capable of summoning emergency assistance from Police, Fire departments, etc.?	Yes	No
		C. Fire control equipment and an adequate supply of fire fighting water or fire supression chemicals?	Yes	No
.35	15.	*Does the generator facility have adequate aisle space to allow the unobstructed movement of personnel and equipment during emergencies?	Yes	Nc
5.50	16.	Does the facility have a contingency plan which contains the following elements:	165	No
5.52(c)		A. A detailed description of emergency procedures facility personnel will implement in response to fires, explosions, or unplanned releases of hazardous wastes to air, soil, and water?	Yes	No
5.52(d)		B. A detailed description of arrangements formally agreed to by local police, fire departments, and State and local emergency teams to provide assistance during emergency		
		situations?	Yes	No

5.52(d)		C. A listing of names, addresses, and phone numbers of the generator facility emergency response coordinators?	Yes	(No)
		Note: This listing should include names and phone numbers of emergency coordinators available on twenty-four hour basis.		
5.52(e)		D. A list of appropriate emergency equipment necessary to cope with emergencies at the generator facility?	Yes	(N)
5.52(f)		E. *An evacuation plan for the generator facility if Management believes such a plan is a definite requirement for their particular generator facility.	Yes	No
	17.	Please provide detailed comments on specific problems encountered during the inspection For instance, industry requests for clarification of specific RCRA rules and regulations and their applicability at the facility can be noted below or described in a separate memo attached to the inspector's checklist.		
			•	
	1			
	Inspect	or's Name: Mark Pivett & bene Holcomb Environmental Engineers		
	Title:	Environmental Engineers		
	-	MDNR		
	Office	location: MKCRO		
	Date of	Inspection:		
	Inspect	or's Name:		
	Agency:			
	Office	location:		
		Inspection:		

			RO USE
	1 1	PECTION OF TSD FACILITIES	Inspection File
	Name of Facility: Nixdor	T-Lloyd Chaine	0
s 8	Address: 2500 E. 157		No.
	Mary ville	Ma 64468	Reviewer
	EPA TSD ID Number: MO DC	799238784	Date reviewed
	Facility Inspection Representat	tive:	Form "B"
	Title :		
	Telephone: 3/4 4/2/	1 2676	
Minimum to the state of the sta			
	or disp	e denote if the facility pre poses of hazardous waste. A sub-category that occurs at ty.)	lso, mark the appro-
	TREATER	STORER	DISPOSER
	Filtration Incineration Thermal Reduction Recycling/Recovery Chem/Phys/Bio Treatments Waste Oil Reprocessing Solvent Recovery Other	Open Pile Surface Impoundment Drum Above ground tank(s) Below ground tank(s) Other	Landfill operation Land treatment Surface Impoundment Incineration Other
	INSPECTION PROCEDURE		
•	1. Does the facility generate	hagandous mastes 2	
	Note: Please complete the	generator's checklist if TS us wastes which are disposed	Yes No
13(ь)	2. Does the facility have in p	place a waste analysis plani	Yes (No)
	If so,		
13(a)	A. Does the plan enable fa wastes being handled by	ncility personnel to identify the facility?	y hazardous <b>Yes</b> No
.3(c)	B. Does the plan enable fa wastes actually receive indicated on the genera	acility personnel to confirmed at the TSD facility are to ator's manifest form?	that he wastes Yes No
	3. *Does the TSD facility have monitors and controls entry	s 24-hour surveillance system to the active portion of the	em which ne facility? Yes No

	A. If not, does the facility have an artificial or natural boundary which surrounds active portions of the facility and,	Yes	No
,	B. A means to control entry at all times, i.e., gates, attendants, locked entrances, etc.?	Yes	No
5.14 (c)	4. *Does the TSD facility have a restricted access sign posted at each entrance to the active portion of the facility? (An example would be: "Danger - Unauthorized Personnel Keep Out!"	Yes	(No)
	If so,		
	A. Is the sign legible from a distance of 25 feet?	Yes	No
	B. Is the sign in English or any other foreign language predominant to the geographical area?	Yes	No
.15(d) .15(b)	5. Does the TSD facility have an inspection log and a written schedule for inspecting all emergency equipment, security devices, and operating and structural equipment, important to the prevention, detection or response to environmental/human health emergencies?	Vaa	
.16(a)	6. Have facility personnel successfully completed a program of classroom training or on-the-job training in hazardous waste management procedures?	Yes	No)
.16(d)	7. Does the TSD facility maintain a record of job titles for personnel that are involved with hazardous waste management and the name of the employee filling each job?	Yes (	Ng
.16(d)(2)	8. Does the TSD facility have on record a written position description for each job title noted in Question #6?	Yes •	No
.16(d)(3)	9. Does the facility presently maintain a written description of the type and amount of introductory and continuing training for those employees noted in Question #6?	Yes (	No)
.32(a)	10. *Does the TSD facility have installed the following equipment:		
*	A. An internal communications or alarm system capable of providing immediate emergency instructions to facility personnel if the hazardous waste storage area is threatened by fire or explosion?	Yes	No
	B. A device at the scene of hazardous waste TSD operations capable of summoning emergency assistance from Police, Fire departments, etc.?	Yes	Ne
	C. Fire control equipment and an adequate supply of fire fighting water or fire supression chemicals?	Yes	No
.35	11. *Does the TSD facility have adequate aisle space to allow the unobstructed movement of personnel and equipment during emergencies?	Yes	No

5.50	12.	Does the facility have a contingency plan which contains the following elements:		
5.52(c)		A. A detailed description of emergency procedures facility personnel will implement in response to fires, explosions, or unplanned releases of hazardous wastes to air, soil, and water?	Yes	N.O
5.52(d)		B. A detailed description of arrangements formally agreed to by local police, fire departments, and State and local emergency teams to provide assistance during emergency situations?	Yes	No
5.52(d)		C. A listing of names, addresses, and phone numbers of the TSD facility emergency response coordinators?  Note: This listing should include names and phone numbers of emergency coordinators available on twenty-four hour basis.	Yes	(N'o)
.52(e)		D. A list of appropriate emergency equipment necessary to cope with emergencies at the TSD facility?	Yes	No
.52(f)		E. *An evacuation plan for the TSD facility if Management believes such a plan is a definite requirement for their particular TSD facility?	Yes	No
.55	13.	Does the facility have at all times at least one employee either on-call or on the site who is responsible for coordinating all emergency response measures?	Yes	No
		If so, please complete below:		
		Name:		
		Title:		•
		Telephone Number:		
55.73	14.	Does the TSD facility have a written operating record which contains the following information:		
55.73(b)(1)		A. A description and the quantity of each hazardous waste received and the method and date of treatment, storage or disposal?	Yes	No
55.73(b)(2)		B. The location of each hazardous waste within the facility and the quantity at each location?	Yes	No
5 <b>5.73(</b> b)(3)		C. Detailed records and revults of waste analysis and treatability tests performed on wastes coming into the facility?	Yes	No
55.73(b)(4)		D. Detailed operating summery reports and description of all emergency incidents that required the implementation of the facility contingency plan?	Yes	No
55.73(b)(5)		E. Detailed records and results of inspections performed on facility emergency equipment, TSD systems, and hazardous waste areas?	Yes	No

		F. Detailed monitoring, testing, and analytical data to insure compliance with the regulations?	Yes	No
	15.	Have the TSD facility operators initiated the preparation of written closure and post closure plans in order to meet the May 1981 target date for implementation of these requirements?	Yes	No
	16.	Does the TSD facility receive hazardous waste from off-site generators?	Yes	No
	If	yes, are the following procedures implemented:		
	Α.	Manifest copies are signed and dated	Yes	No
	E.	A copy is given to the transporter	Yes	No
	C.	A copy is sent to the generator	Yes	No
	D.	A copy is returned and filed at the TSD facility	Yes	No
	Not	uch facilities also receive hazardous wastes from off-site sources.	Yes	oa
	Note	e: Plan not required until one year after effective date of egulations.		9
18.	The fac	inspector should check for the following conditions at the TSD ility:		
	Α.	Open fires	Yes	· (tic)
	B.	Fumes cr gases	Yes	(10)
	c.	Leaks or corrosion in containers or other storage structures	Yes	(No)
	D.	Leachate to receiving streams	Yes	(No)
	E.	Malfunction of equipment	Yes	(10)
	F.	Eulging drums	Yes	6
	G.	Excessive heat generation from storage facilities, lagoons, storage piles, etc.	Yes	110

i.90 1

(6)

5.71

•		o to the thippe	ctor's checklis	
##WWW.			-	
			- 1	
		200		
				<del> </del>
	ı			
			1	
	į			
Shaff to Share had been a share as a share a				
-	:			
l <sub>p</sub> l				
لو		1. 1.		
spector's Name:			a	
tle:				
ency:		, 9 g e		
fice location:				
te of Inspection:	1	·.		
pector's Name:				
ile:				
ncy:				

80

, contract of the contract of		ntity Generators of Hazardo	Insp	pection file	No:
Facilit	y:		Revi	iewer:	
:			dimensional districts and the second districts		
			Date	Reviewed:	
					<del></del>
······································			Form	''C''	
ne Numbe	r:				
	What types of waste	e are generated at the faci			-
				•	
	of each per month	(in kilogram). /	/	•	
*		(in kilogram).		-	
		(in kilogram).			
	of each per month / / / /				
2.	of each per month / / / Which of the waste:				
	of each per month / / / Which of the waste:	/ / / s listed above are recycled			
	of each per month / / / Which of the waste:	/ / / s listed above are recycled			
	of each per month / / / Which of the waste:	/ / / s listed above are recycled			
	of each per month / / / Which of the waste:	/ / / s listed above are recycled			
	of each per month / / / Which of the waster quantity of each per / / / / /	/ / / s listed above are recycled	/ ////////////////////////////////////		
2.	of each per month / / / Which of the waster quantity of each per / / / / /	s listed above are recycleder month (in kilograms)?  /  /  /  /  /  /  /  /  /  /  azardous waste accumulated	/ ////////////////////////////////////		

4.	If any of the answers in Question No. 3 are yes, then is the generator complying with Part 262.34 requirements?	Yes	No
5.	Is hazardous waste delivered to an "on" or "offsite" facility which is:		F
	a. permitted under Part 122 of the RCRA regulations?	Yes	No
	b. a RCRA interim status facility?	Yes	lio
	c. authorized by the State with a RCRA program according to Part 123 of the RCRA regulations?	Yes	N-0
	d. licensed by the State?	Yes	No
	e. a "beneficial use" or reuse/recycle facility?	Yes	No
	f. a treater of hazardous waste prior to beneficial use, reuse or recycle?	Yes	cй
6.	Please list the name, address and EPA ID number (if available) for each of the facilities where wastes are disposed (refer to Question No. 5).	_	
	141		
			· •
• *			
Insp	ector's Name:		. "
Titl	e:		
Agen	ncy:		
Offi	ce location:		
Date	of Inspection:		,
Insp	ector's Name:		
	e:		
Agen	cy:Office location:		
	of Inspection:		

	* Checklist for Surface Impoundments	R.O. USE
1	Bubpar & Section 265.222 "General Operating Requirements"	Inspection file No:
e of Fac	lity:	Reviewer:
ress:		
Generate	or ID Number:	Date Reviewed:
ility In:	pection Representative:	
le:		Form "K"
ephone N	umber:	
	••	
surface	ns contained in this checklist apply to owners and operators of impoundments to treat, store, or dispose of hazardous waste, exdes otherwise.	
t. Regs. C.F.R.		
222	1. Is 2 ft. of freeboard maintained in the surface impoundment	? (es)
223	2. Do all earthen dikes have protective covers (e.g., grass, shale or rock) to minimize wind and water erosion and to preserve dike structural integrity?	Yes No
225(a) (1) & (2)	3. Are waste analyses conducted or written documentation obtain before placing a substantially different hazardous waste in a surface impoundment used for storage or treatment?	
226(a) (1)	4. Is the freeboard level inspected at least once each operatiday?	res (No)
226(a) (2)	5. Is the surface impoundment, including dikes and vegetation, inspected once per week to detect leaks or deterioration or failures in the impoundment?	Yes No
	6. Are the results of these inspections recorded in an inspect log or summary?	ion Yes (No
229(a)	<ol> <li>Are ignitable or reactive wastes stored in a surface impoundment: If so,</li> </ol>	Yes (Eo)
229(a) (1)	a) Is the waste treated, rendered, or mixed before or immediately after placement in the impoundment so that the resulting waste, mixture or dissolution of material no longer meets the definition of ignitable or reactive waste under parts 261.21 or 261.23 of the RCRA regulation	ons? Yes No
	the state of the s	

b) Are incompatible wastes segregated in separate surface impoundments so that spontaneous reactions are avoided?

Yes No

Inspector's Name:	-			•	
Title:					
Agency:					•
Office location:		9 9 0 0 0 <sub>0</sub>			
Date of Inspection:	1				
•					
Inspector's Name:			<del></del>	· · · · · · · · · · · · · · · · · · ·	
Title:					
Agency:					
Office location:		•			
Date of Inspection:					

RCRA	Checklist for Chemical, Physical and Biological Treatment	.o. us	E .	
<u>(s</u>	Subpart Q Part 265.40 - "General Operating Requirements"	nspect	ion fil	le No:
lame of Faci	ility:	Reviewe	r:	
ddress:		(6 1 2 5 11 5	,	
		ate Re	viewed:	
IPA Generato	or ID Number:			
acility Ins	spection Representative:	form "Q	11	
itle:		orm q		
Telephone Nu	umber:			
treat hazar	ons contained in this checklist apply to owners and operators of fadous wastes by chemical, physical, or biological methods in other coundments and land treatment facilities except as Section 265.1 pro-	than t	anks,	
ert. Regs. O C.F.R. art:			_	
65.401(b)	1. Are all treatment processes or equipment in good condition, i.e., not showing signs of leakage, corrosion or any other deterioration?		Yes	No
65.401(c)	2. Are treatment processes or equipment with continuous inflow of hazardous waste equipped with a means to stop this inflow (e.g., waste feed cutoff system or bypass system to a standby containment device)	y Y	Yes	No
65,402(1) & (2)	3. Are waste analyses performed or written documentation obtained before placing a substantially different hazardous waste into treatment processes or equipment?	e d	Yes	No
	4. Is this information recorded in the facility's operating reco	ord?	Yes	No
65.403(a) (1)	5. Are daily inspections conducted for discharge control equipme (e.g., bypass systems, waste feed cut-off systems, drainage systems and pressure relief systems)?	ent	Yes	No
65,403(a) (2)	6. Is data gathered from monitoring equipment (e.g., pressure a temperature gauges) at least once each operating day?	nd	Yes	::0
(3)	7. Are construction materials of the treatment process or equipand immediate surrounding area inspected weekly for signs of leakage, corrosion or any other deterioration?	ment	Yes	Жo

.405(a) (1)

405(a) (1)

- (			
8.	Are the results of these inspections recorded in an inspection log or summary?	Yes	No
9.	Are ignitable or reactive wastes placed in a treatment process?	Yes	No
1	A A	•	
	A. Are the wastes treated, rendered, or mixed before or immediately after placement in the treatment process or equipment so that the resulting waste, mixture, or dissolution of material no longer meets the definition of ignitable or reactive wastes under Section 261.21 or 261.23		
	or the Roka regulations?	Yes	No
	B. Are the wastes treated in such a way that they are protected from any material or conditions which may cause the waste to ignite or react?		
	or react.	Yes	No
10.	Are incompatible wastes kept from being placed in the same treatment process or equipment?	Yes	No
Inspe	ctor's Name:		
Title			
Ágenc		Pinners	
Offic	e Location:		
Date	of Inspection:		
Inspe	ctor's Name:		•
Title		-	
Agency		-	
Office	Location:		
Date o	f Inspection:	-	

/	RCRA Checklist for Use and Management of Containers	R.O. USE	
(Sul	opart I Section 265.170 - "General Operating Requirements"	Inspection	file No:
Å.		Inspection	
lame of Fac	ility:		
ddress:		Reviewer:	
-			
PA Generat	or ID Number:	Date Review	ved:
	spection Representative:		
0		Form "I"	
	umber:		
erephone k	umber.	9	
	ns contained in this checklist apply to owners and operators of a that store containers of hazardous waste, except as Section 265.		
ert. Regs. O C.F.R. art:			
5.171	1. Are all containers in good condition, i.e., not showing sign of leakage or corrosion or any other deterioration/deformation		s No
5.171	2. Are containers lined or made of materials compatible with hazardous wastes placed into them so that the container will not react or corrode with the hazardous wastes?	1 Yes	s No
5.173(a)	3. Are all containers holding hazardous waste kept closed duri storage?	ng Yes	i No
5.174	4. Are areas where hazardous waste containers are stored inspeby the owner/operator at least once a week?	ected Yes	No No
5.15(d) 5.15(b)	5. Is an inspection log maintained? (See question #5 of TSD checklist.)	Yes	No.
5.176	6. Are containers holding ignitable or reactive waste located at least 50 ft. from the facility's property line?	Yes	: 35
5.177(a)	7. Are incompatible wastes placed in the same container? (See Appendix 5 for examples.)	Yes	i No
5.177(c)	8. Are storage containers holding hazardous wastes which are incompatible with nearby materials stored in containers, to		
	piles, or surface impoundments separated by dikes, berms, was or other devices?	Yes	No .

nspector s wante.							
itle:				÷			
gency:	*	1					
ffice location:		ž ·					
ate of Inspection:		1	7		8		
		-	4		·.		
nspector's Name:		!					
itle:					*	1	
gency:							
ffice location:		•					
are of Inspection:							